

City of Louisville Residential Rebates

For equipment that serves up to 4 residential units

Please note that your utility may have more stringent requirements for their rebates

| Receive up to \$400 | |
|--|---|
| "Cold Climate" Air Source Heat Pump ¹ | HSPF2 \geq 8.1 Must be ENERGY STAR Cold Climate certified OR COP \geq 1.75@5°F OR capacity @ 5°F at least 70% of BTU @ 47°F. |
| "Cold Climate" Mini-Split Heat Pump ¹ | HSPF2 \geq 8.1 Must be ENERGY STAR Cold Climate certified OR COP \geq 1.75@5°F OR capacity @ 5°F at least 70% of BTU @ 47°F. |
| Ground Source Heat Pump | 5.5 tons or smaller, 14.1 EER. Must be ENERGY STAR certified |
| Receive up to \$250 | |
| "Non-Cold" Climate Air Source Heat Pump ¹ | HSPF2 \geq 7.8 |
| "Non-Cold" Climate <u>Mini-Split</u> Heat Pump ¹ | HSPF2 \geq 7.8 |
| ENERGY STAR Electric Heat Pump Water Heater | Must be Energy Star certified with a minimum Energy Factor of 2.0 |
| Electric Panel Upgrade | Must be completed in conjunction with heat pump, induction, solar, or EV charger upgrades. Proof of other upgrades required |

Receive up to \$250 (cont.)

| | |
|-----------------------------------|--|
| Attic Insulation with Air Sealing | R-60 minimum required in open attic; cathedral ceilings will vary with rafter depth but must meet requirements of 2012 IECC. Must perform air sealing in attics prior to adding insulation.* |
| Wall Insulation | R-19 minimum; fill wall cavity where R-19 is not possible. For solid walls such as brick or concrete, exterior rigid insulation must be added to a level of \geq R-10. |

Fuel Switching Rebates*

| | |
|---|--|
| Removal of Gas Furnace or Boiler \$500 Rebate | Must be replacing furnace or boiler with air source heat pump. Requires proof of removal |
| Removal of Gas Water Heater \$250 Rebate | Must be replacing water heater with heat pump water heater. Requires proof of removal |
| Removal of Gas Stove \$150 Rebate | Must be replacing gas stove with Electric or Induction Stove. Built-in, drop-in & freestanding units only (portable stoves not eligible). Proof of purchase, plus before & after installation photos required. |

**Fuel Switching rebates can be combined with equipment rebates*

Conditions

- Rebates are only available to **EnergySmart participants** and for the measures listed. Engagement in EnergySmart and pre-project qualification must occur **before** purchasing an eligible appliance or completing the energy efficiency project for which a rebate is being applied for.
- **Rebate funds are limited, are subject to change, and will be awarded on a first-come, first-served basis.**
- The rebate award will be based on the levels published at the time that an invoice for work completed has been submitted to EnergySmart.
- All work must be completed and invoiced between **January 1, 2024 and December 31, 2024** to qualify for these rebates.
- Lifetime limit of 2 air source heat pump (inc min-split heat pump) rebates per house
- Multi-Family Units of 5 or more are not eligible for this rebate.
- Rebates cannot exceed the cost of the measure after all other rebates are applied.
- Rebates only available for projects completed at residences within the City of Louisville
- All upgrades must be for or directly benefit unit occupants. (e.g. Only upper units can receive an attic insulation rebate when applying for multiple unit rebates.
- All work must meet all applicable building or energy codes, and all required permits must be obtained. Combustion Appliance Zone (CAZ) testing must occur as a health/safety measure before and after the upgrade depending on the type of upgrade. *Please feel free to speak with your Advisor about the importance of CAZ testing.*
- **Fuel Switching Rebates may require additional verification** to ensure removal of gas systems. Please contact an Energy Advisor to discuss improvements and verification of these rebates. Invoices and pictures are part of the rebate process.
- † For air source heat pump (ASHPs) a thermostatic expansion valve within the appliance is required.
- * Air sealing requirements include the sealing of the void directly above all accessible exterior top plates in attic space.