



EnergySmart Residential Rebates

For Homeowners and Ownerships Up To 4 Units

Receive 25% of project cost up to \$300	
"Cold Climate" <u>Ducted</u> Air Source Heat Pump ¹	HSPF ≥ 9.0 /SEER ≥ 15.0 /COP ≥ 1.75 @5°F or capacity @ 5°F of at least 70% of BTU @ 47°F . Must be NEEP.org certified.
"Cold Climate" <u>Ductless</u> (Mini-Split) Air Source Heat Pump ¹	HSPF ≥ 10.0 /SEER ≥ 15.0 /COP ≥ 1.75 @5°F or capacity @ 5°F of at least 70% of BTU @ 47°F . Must be NEEP.org certified.
Ground Source Heat Pump	5.5 tons or smaller, 14.1 EER. Must be ENERGY STAR certified
Receive 25% of project cost up to \$200	
Solar PV*	Includes roof or ground mounted system (<i>must purchase capacity to meet at least meet 50% of existing household electricity consumption</i>) Installation by NABCEP certified installer only
<i>*Must be completed in conjunction with installing an air or ground source heat pump or owning an electric vehicle</i>	
Receive 25% of project cost up to \$100	
"Non-Cold" Climate <u>Ducted</u> Air Source Heat Pump ¹	HSPF ≥ 8.5 /SEER ≥ 15.0
"Non-Cold" Climate <u>Ductless</u> Air Source Heat Pump ¹	HSPF ≥ 8.5 /SEER ≥ 15.0

Receive 25% of project cost up to \$100 (*cont.*)

Attic Insulation with Air Sealing	R-49 minimum required in open attic; cathedral ceilings will vary with rafter depth but must meet requirements of 2012 IECC. Must perform air sealing in attics prior to adding insulation.*
Wall Insulation	R-19 minimum; fill wall cavity where R-19 is not possible. For solid walls such as brick or concrete, exterior rigid insulation must be added to a level of \geq R-10.
Foundation (Basement or Crawl Space) Insulation and Air Sealing	Crawlspace as outlined in the 2012 IECC. R-15 continuous or R-19 cavity insulation with a vapor-permeable air barrier over insulation. Crawlspaces must have sealed vapor barrier over dirt crawl space floor and ventilation, per 2012 IECC.
ENERGY STAR Electric Heat Pump Water Heater	Must be Energy Star certified with a minimum Energy Factor of 2.0

Marshall Fire \$100 bonus rebate for the removal of smoke damaged insulation

Attic, Wall, Basement and Crawlspace Insulation Removal	For homes affected by smoke and particulates from the Marshall fire an additional \$100 per measure will be added to the insulation rebate(s) to help cover the necessary removal of existing smoke contaminated insulation. Submission of contractor invoice required noting the removal of contaminated insulation and where missing, air sealing (inc. attic top plates*).
---	---

Fuel Switching Rebates \$100 per measure

Removal of Gas Furnace or Boiler	Must be replacing furnace or boiler with air or ground source heat pump. Requires proof of removal
Removal of Gas Water Heater	Must be replacing water heater with electric water heater. Requires proof of removal
Removal of Gas Stove	Must be replacing gas stove with Electric Stove. Built-in, drop-in & freestanding units only (portable stoves not eligible). Proof of purchase, plus before & after installation photos required.

Conditions

- Rebates are only available to **EnergySmart participants** and for the measures listed. Engagement in EnergySmart and pre-project qualification must occur **before** purchasing an eligible appliance or completing the energy efficiency project for which a rebate is being applied for.
- **Rebate funds are limited, are subject to change, and will be awarded on a first-come, first-served basis.**
- The rebate award will be based on the levels published at the time that an invoice for work completed has been submitted to EnergySmart.
- All work must be completed and invoiced between **January 1, 2023 and December 31, 2023** to qualify for these rebates.
- Total lifetime **maximum** of all **EnergySmart** rebates cannot exceed **\$1,800/home** and **\$6,000/owner** of multiple properties (inc past and present EnergySmart rebates). Exception allowed if due to the Solar PV bonus.
- Multi-Family Units of 5 or more are not eligible for this rebate.

- Rebates cannot exceed the cost of the measure after all other rebates are applied.
- All upgrades must be for or directly benefit unit occupants. (e.g. Only upper units can receive an attic insulation rebate when applying for multiple unit rebates.
- All work must meet all applicable building or energy codes, and all required permits must be obtained. Combustion Appliance Zone (CAZ) testing must occur as a health/safety measure before and after the upgrade depending on the type of upgrade. *Please feel free to speak with your Advisor about the importance of CAZ testing.*
- **Fuel Switching Rebates may require additional verification** to ensure removal of gas systems. Please contact an Energy Advisor to discuss improvements and verification of these rebates. Invoices and pictures are part of the rebate process.
- ! For air source heat pump (ASHPs) a thermostatic expansion valve within the appliance is required.
- * Air sealing requirements include the sealing of the void directly above all accessible exterior top plates in attic space.